

## CERTIFICATE OF ANALYSIS

Product : **ALUMINIUM CHLORIDE HEXAHYDRATE**  
 Product number : A0532  
 Batch number : 016620  
 Date of analysis : 08-01-2021  
 Expiry date : 30-11-2022

Packaging and storage : in well-closed container

Description	SPECIFICATION	RESULT	UNITS	REMARKS
Identification:				
- (chloride)	conform	complies		
- (aluminium)	conform	complies		
Appearance of solution	clear and colour < ref sol. B <sub>7</sub>	complies		5% in H <sub>2</sub> O
Sulphates	≤ 100	< 100	ppm	
Iron	≤ 10	< 10	ppm	
Alkaline and alkaline earth metals	≤ 0.5	< 0.3	%	
Water	42.0 – 48.0	44.6	%	Karl Fischer
Assay (complexometric titration)	95.0 – 101.0	99.2		AlCl <sub>3</sub> 6H <sub>2</sub> O


This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Approved by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 29-11-2021



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.