

## CERTIFICATE OF ANALYSIS

Product : **AMMONIUM DIHYDROGEN PHOSPHATE**  
 Product number : A1338  
 Batch number : 013219  
 Date of production : 08-08-2017  
 Date of expiry : 31-08-2022

Packaging and storage : store in a well-closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder	conforms		
pH	4.0 – 4.4	4.3		
Heavy metals	≤ 0.001	< 0.0002	%	as Pb
Chloride	≤ 0.0005	< 0.0002	%	
Nitrate	≤ 0.001	< 0.001		
Sulphate	≤ 0.005	< 0.001	%	
Arsenic	≤ 0.00005	< 0.00005	%	
Iron	≤ 0.001	< 0.0002	%	
Sodium	≤ 0.005	0.001	%	
Potassium	≤ 0.005	< 0.0003	%	
Assay	≥ 99.0	100.4	%	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved  
 Released by:

drs. M. van Wissen, pharmacist  
 Department of Quality Control Duchefa B.V.

Date: 27-09-2017



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.