

CERTIFICATE OF ANALYSIS

Product : **CHAPS**
Product number : C1374
Batch number : 016407
Date of analysis : 03-8-2021
Expiry date : 31-08-2023

Packaging and storage : store in well-closed container at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white powder	complies		hygroscopic
Solubility in water	almost clear, colourless	complies		20% in water
IR spectrum	conform	complies		
Absorbance	≤ 0.22	0.038		280 nm
Water	≤ 3.0	2.0	%	Karl Fischer
Assay	≥ 97.0	98.9	%	HPLC

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 16-08-2021



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31-(0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL48 INGB 0651 4661 80
BIC: INGBNL2A