

## CERTIFICATE OF ANALYSIS

Product : **MES**  
Product number : M1503  
Batch number : 015658  
Date of analysis : 08-05-2020  
Date of expiry : 30-04-2023

Packaging and storage : store in a well-closed container, protected from light

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder	complies		
Moisture	7.9 – 8.9	8.51	%	
pH	2.5 – 4.0	3.80		
Solubility	clear, colorless solution	complies		
UV-absorbance	conform	complies		
- 260 nm	≤ 0.04	0.020		
- 280 nm	≤ 0.02	0.017		
Assay	≥ 99.0	99.59	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:



drs. J. van der Eem, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 07-08-2020

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71  
2031 BH Haarlem  
The Netherlands



Postbus 809  
2003 RV Haarlem  
The Netherlands



+31 (0)23-531 90 93  
info@duchefa.nl  
duchefa-biochemie.com



KVK: 34073001  
IBAN: NL54 INGB 0651 4661 80  
BIC: INGBNL2A